

KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
1 of 58

FIG. 1A





FIG. 1B





KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
2 of 58

FIG. 2A





FIG. 2B



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
3 of 58



FIG. 3A





FIG. 3B



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.
January 12, 2001
Darryl Mexic 202-293-7060
4 of 58 410P MODEL NAME (13 BYTES) PLAYER 404 403 (b) PLAYER VERSION INFORMATION DATE (8 BYTES) 410 400P COMPUTER (APPLICATION PROGRAM) DOCKING STATION FIG. 4B 402 VERSION (11 BYTES) (o) REQUEST PLAYER VERSION 400 0x59 401 0x03 0×22 0×00 0×00 # # 0 (P)

FIG. 4A

KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
5 of 58

۱ -.

510P PLAYER MODEL NAME (13 BYTES) 504 DOCKING STATION 500 FIG. 5B 503 BYTES) (a) REQUEST DOCKING STATION VERSION (b) DOCKING STATION VERSION INFORMATION ∞ 500P DATE 510 COMPUTER (APPLICATION PROGRAM) VERSION (11 BYTES) 502 0x59 501

0

(P)

FIG. 5A

FIG. 6A

KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
6 of 58

610P NEXT COMMAND LENGTH (EXCLUDING PREAMBLE) NEXT COMMAND LENGTH (EXCLUDING PREAMBLE) (b) START SIGNAL ACK 610 DOCKING STATION FIG. 6B (a) START SIGNAL 602 602 900 STATE 0×4c COMPUTER (APPLICATION PROGRAM) 601 603 0x04 0×04 0×00 00×0 # # <u>©</u> 9

KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
7 of 58

FIG. 7A






FIG. 7B



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
8 of 58

FIG. 7C



3





FIG. 8A



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
10 of 58

FIG. 8B




FIG. 8C




FIG. 8C

KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
12 of 58








FIG. 9A



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
14 of 58

FIG. 9B



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
15 of 58

FIG. 9C





FIG. 9C

950P

يَد


 \mathfrak{E}

KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
16 of 58



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
17 of 58

FIG. 10A





10

Į. A




FIG. 10B





KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
20 of 58

FIG. 11A



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
21 of 58

FIG. 11B








FIG. 12A




KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
23 of 58

FIG. 12B



KANG, et al Q61464 METHOD OF CONTROLLING PORTABLE PERSON AL DEVICE HAVING FACILITIES..... January 12, 2001 Darryl Mexic 202-293-7060 24 of 58



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
25 of 58

FIG. 13A






FIG. 13B



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
26 of 58

FIG. 13C



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
27 of 58

FIG. 14A




FIG. 14B





FIG. 14C



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....

KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
29 of 58

FIG. 15A





FIG. 15B



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
30 of 58

FIG. 15C






FIG. 16A






FIG. 16B





KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
32 of 58

FIG. 16C



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
33 of 58

FIG. 17A






FIG. 17B




KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
34 of 58

FIG. 17C




KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DE VICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
35 of 58

FIG. 18A



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
36 of 58


FIG. 18B



l. A



FIG. 19A



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
38 of 58

1930P

-1950P

STATE

0x03

0×00

#

 \subseteq

BYTES)

BLOCK DATA (528

PHYSICAL

(e)

#

©

BLOCK (4 BYTES) 1905 PHYSICAL BLOCK ADDRESS (4 BYTES) 905 - 1900P -1910P PHYSICAL ADDRESS (4 - 1940P 1904 1904 FIG. 19B 0x57 0x57 0×08 0×08 0x6d/0x73 0x6d/0x73 1903 1903 STATE 0×4c 0×08 0x04 0x04 0x08 00×0 0 0 0 0 0 0x00 0×00

#

<u>©</u>

#

(a)


#

<u>ပ</u>

1920P

KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
39 of 58


FIG. 20A



ļ. A

KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
40 of 58

FIG. 20B



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
41 of 58

FIG. 21A






FIG. 21B



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES....
January 12, 2001
Darryl Mexic 202-293-7060
42 of 58

FIG. 21C



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
43 of 58








FIG. 22B




KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
44 of 58

FIG. 22C



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
45 of 58


FIG. 23A



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....

January 12, 2001
Darryl Mexic 202-293-7060
46 of 58

FIG. 23B



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
47 of 58

FIG. 24A





FIG. 24B



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
48 of 58

FIG. 25A





FIG. 25B



ļ.A

KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
49 of 58

FIG. 26A





FIG. 26B



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
50 of 58

FIG. 27A





FIG. 27B



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
51 of 58

FIG. 28A





FIG. 28B



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
52 of 58

FIG. 29A





FIG. 29B



53 of 58

KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060

FIG. 30A





FIG. 30B



The state are the state of the

Į. A

KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
54 of 58

FIG. 31A




FIG. 31B




FIG. 32A


KANG, et al Q61464 METHOD OF CONTROLLING PORTABLE PERSONAL DEVICE HAVING FACILITIES. January 12, 2001 Darryl Mexic 55 of 58 202-293-7060 -3220P -3200P FILE BYTE) FILE NAME LENGTH (2 BYTES) 3203 CONTINUOUS PLAY INDICATIOR 3210 3220 **PLAYER** (b) STATE INFORMATION 0x4d/0x53 3207 (c) META DATA 3202 0×18 FIG. 32B DOCKING STATION META DATA (1086 BYTES) PLAY LOCATION (4 BYTES) 3201 3204 0x0 STATE (o) REQUEST AUDIBLE META DATA 3206 0x0 0x07+ FILE NAME LENGTH COMPUTER (APPLICATION PROGRAM) 0×04 3200 3205 0 0 0 0 0 00×0 #

0

9

<u>ပ</u>

FIG. 33A



ļ. A

KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
57 of 58

FIG. 34A





FIG. 34B



A



KANG, et al Q61464
METHOD OF CONTROLLING PORTABLE
PERSONAL DEVICE HAVING FACILITIES.....
January 12, 2001
Darryl Mexic 202-293-7060
58 of 58

FIG. 35A




FIG. 35B

